ELSEVIER

Volume 270, Numbers 1–2, 2 April 1998

Inorganica Chimica Acta

Contents

Preface 1

Preliminary Communications

Coordination of a disubstituted alkene in a chelated d^0-metal–alkyl–alkene complex. Evidence for equilibrium between complexes with coordinated and free alkenes 5
C.P. Casey, J.J. Fisher



Palladium(II)-catalyzed alternating copolymerization of alkenes with sulfur dioxide 8
L.M. Wojcinski II, M.T. Boyer, A. Sen



Articles

Cooperative bimetallic reactivity 13
D.G. McCollum, B. Bosnich



Zirconocene–alumoxane (1:1) — a catalyst for the selective dimerization of α-olefins 20
J. Christoffers, R.G. Bergman



cat.: Cp_2ZrCl_2 / MAO (1 : 1), 0.1 - 1 mol%

Elsevier Science S.A.

Ligand connected metal clusters. The molecular structures and solid state packing of $\{Ru_3(CO)_{11}\}_2$bis(diphenylphosphino)ethane and $\{Ru_3(CO)_{11}\}_2$(1,4-bis(diphenylphosphino)benzene..... 28
P.M. Van Calcar, M.M. Olmstead, A.L. Balch



Rhodium aryloxide complexes containing terdentate nitrogen ligands, C–O bond formation, hydrogen bonding with phenol and oxidative addition reactions. Molecular structure of an Rh(III)–acetyl complex 34
H.F. Haarman, J.-W.F. Kaagman, W.J.J. Smeets, A.L. Spek, K. Vrieze



R^2 = *i*-Pr or *t*-Bu

Synthesis and structures of the cuboidal iron–sulfur–nitrosyl–phosphine clusters $[Fe_4S_3(NO)_4(PR_3)_3]^{0,1+}$ (R = Et, Pr^i, C_6H_{11}) 46
C. Goh, R.H. Holm



$[Fe_4S_3(NO)_4(PEt_3)_3]$

Selective C–H bond activation of arenes catalyzed by methylrhenium trioxide..... 55
J. Jacob, J.H. Espenson



η^3-Allyl–cobalt(II) complexes..... 60
G. Großheimann, P.W. Jolly



Chemical applications of topology and group theory
30. Distortions from idealized symmetrical coordination polyhedra by lifting molecular orbital degeneracies..... 68
R.B. King



Thermal and photochemical substitution reactions of $CpRe(PPh_3)_2H_2$ and $CpRe(PPh_3)H_4$. Catalytic insertion of ethylene into the C–H bond of benzene 77
W.D. Jones, J.A. Maguire, G.P. Rosini



Second sphere coordination behavior of aquo and amine ligands bound to a η^6-benzeneruthenium(II) cation 87
H. Kurosawa, H. Asano, Y. Miyaki



Selective oxidation of glucose on bismuth-promoted Pd–Pt/C catalysts prepared from $NOct_4Cl$-stabilized Pd–Pt colloids 95
H. Bönnemann, W. Brijoux, R. Brinkmann, A. Schulze Tilling, T. Schilling, B. Tesche, K. Seevogel, R. Franke, J. Hormes, G. Köhl, J. Pollmann, J. Rothe, W. Vogel



Infrared spectroelectrochemical and electrochemical kinetics studies of the reaction of nickel cluster radicals $[Ni_3(\mu_2\text{-dppm})_3(\mu_3\text{-L})(\mu_3\text{-I})]\cdot$ (L = CNR, R = CH_3, i-C_3H_7, C_6H_{11}, $CH_2C_6H_5$, t-C_4H_9, 2,6-$Me_2C_6H_3$; L = CO) with carbon dioxide 111
R.E. Wittrig, G.M. Ferrence, J. Washington, C.P. Kubiak



Mechanistic details for metathetical exchange between XCO (X = O and RN) and the tin(II) dimer, $\{Sn[N(SiMe_3)_2](\mu\text{-OBu}^t)\}_2$ 118
R. Xi, L.R. Sita



Palladium-catalyzed seven-membered N,O-heterocycle ring formation 123
G. Bocelli, M. Catellani, G.P. Chiusoli, F. Cugini, B. Lasagni, M.N. Mari



Triply-bridged diruthenium(II) 1,4-bis(diphenylphosphino)butane (dppb) and (*R*)-2,2′-bis(diphenylphosphino)-1,1′-binaphthyl (binap) complexes, including structural characterization of $[(dppb)ClRu(\mu\text{-}D_2O)(\mu\text{-}Cl)_2RuCl(dppb)]$, $[(\eta^2\text{-}H_2)(dppb)\text{-}Ru(\mu\text{-}Cl)_3RuCl(dppb)]$ and the $[(dppb)ClRu(\mu\text{-}Cl)_3RuCl\text{-}(dppb)]^-$ anion 130
K.S. MacFarlane, I.S. Thorburn, P.W. Cyr, D.E.K.-Y. Chau, S.J. Rettig, B.R. James



Electrochemistry of 2-thio- and 2-oxo-pyrimidines in dimethyl formamide in the presence of dioxygen 145
C. Tavagnacco, S. Peressini, G. Costa, M. Borsari, R. Battistuzzi



The dynamics of formation of the O_2–Co^{II} bond in the cobalt(II) cyclidene complexes 151
E.V. Rybak-Akimova, K. Marek, M. Masarwa, D.H. Busch



Azide promotion of alkane oxidations catalyzed by metal complexes in solution 162
J.E. Lyons, P.E. Ellis, Jr., S.N. Shaikh



Alkylcobalt chelates with Schiff bases derived from a β-diketone bearing both alkyl and aryl groups 169
I. Levitin, M. Tsikalova, N. Sazikova, V. Bakhmutov, Z. Starikova, A. Yanovsky, Y. Struchkov



Eight-coordinate chelate complexes of zirconium(IV) and niobium(IV): X-ray diffractometric and EPR investigations 177
F. Calderazzo, U. Englert, C. Maichle-Mössmer, F. Marchetti, G. Pampaloni, D. Petroni, C. Pinzino, J. Strähle, G. Tripepi



Kinetics and mechanism of the oxidation of ammineruthenium(II) complexes by bromine 189
S. Plotkin, A. Haim



Rate constants and activation parameters for organo–cobalt porphyrin bond homolysis from NMR relaxation times 197
D.C. Woska, B.B. Wayland



Elimination of benzene from a benzyloxy ligand to form a carbonyl group on a tungsten-phosphine center 202
T.J. Crevier, J.M. Mayer



Interaction of mono- and triphosphate anions with a protonated polyaza macrocycle and its Cu(II) complexes 207
Q. Lu, J.H. Reibenspies, R.I. Carroll, A.E. Martell, A. Clearfiled



Electronic absorption spectroscopy for the investigation of the solution binding of gold, palladium, mercury and silver salts to the lower rim substituted calix[4]arenes 25,26,27,28-(2-*N*,*N*-dimethyldithiocarbamoylethoxy)calix[4]arene and 25,26,27,28-(2-methylthioethoxy)calix[4]arene 216
A.T. Yordanov, D.M. Roundhill



Catalytic reduction of acetylene in the presence of molybdenum and iron clusters, including FeMo cofactor of nitrogenase 221
T.A. Bazhenova, M.A. Bazhenova, S.A. Mironova, G.N. Petrova, A.K. Shilova, N.I. Shuvalova, A.E. Shilov



Misdirected π-donor ligands: $(\eta^5\text{-}C_5H_5)_2Zr(Cl)(SR)$ with sterically more demanding R groups have lower rotational barriers..... 227
M.T. Ashby, S.S. Alguindigue, M.A. Khan



Solution and crystal structure of the dihydrogen complex $[Ru(H_2)(H)(PMe_2Ph)_4]PF_6$, an active alkyne hydrogenation catalyst..... 238
A.J. Lough, R.H. Morris, L. Ricciuto, T. Schleis



Synthesis, characterization and application of Ru(BINAP)(Acac)-(MNAA)(MeOH), a highly effective catalyst for the asymmetric hydrogenation of 2-(6′-methoxynaphth-2′-yl)acrylic acid..... 247
C.-C. Chen, T.-T. Huang, C.-W. Lin, R. Cao, A.S.C. Chan, W.T. Wong



Electronic properties of some inorganic solids..... 252
R.G. Pearson



Silyl reagents (Me_3Si–X) efficiently transfer X to $Ir(H)_2F(P^tBu_2Ph)_2$ 261
A.C. Cooper, J.C. Huffman, K.G. Caulton



Transition metal complexes
IX. Nickel complexes with a chiral azaphosphole ligand 273
K. Angermund, A. Eckerle, J. Monkiewicz, C. Krüger, G. Wilke



On the mechanism of silylformylation catalyzed by Rh–Co mixed metal complexes 279
I. Ojima, Z. Li, R.J. Donovan, P. Ingallina



Probing the nature of H_2 activation in catalytic asymmetric hydrogenation 285
C.R. Landis, T.W. Brauch



Titanium–carbon functionalities on an oxo surface defined by a calix[4]arene moiety and its redox chemistry 298
A. Zanotti-Gerosa, E. Solari, L. Giannini, C. Floriani, N. Re, A. Chiesi-Villa, C. Rizzoli



Chemistry of the azine phosphine ligand Z,*E*-$PPh_2CH_2C(Bu^t)$=N–N=$CMe(C_6H_4NO_2$-4): crystal structure of $[Mo(CO)_4\{PPh_2CH_2C(Bu^t)$=N–N=$CMe(C_6H_4NO_2$-4)$\}]$ 312
B.L. Shaw, S.D. Perera, D.J. Shenton, M. Thornton-Pett



Kinetics and mechanism of the axial substitution reactions of (ligand)bis(4,5-dichloro-1,2-benzosemiquinonediiminato)cobalt-(III) complexes 326
L.I. Simándi, S. Németh



Octahedral intermediate in square-pyramidal substitution

The influence of the catalyst preparation protocol and silane structure on the rate and enantioselectivity of ansa-titanocene catalysed hydrosilation of prochiral ketones 330
K. Rahimian, J.F. Harrod

Reversible β-hydride elimination of amine ligands forming stable *cis*-η^2-iminium hydride Os^{II} complexes 337
S.D. Orth, J. Barrera, S.M. Rowe, L.E. Helberg, W.D. Harman



The hydrogenation and hydroformylation of alkenes as catalyzed by polymer-anchored rhodium trichloride under water gas shift reaction conditions 345
M.M. Mdleleni, R.G. Rinker, P.C. Ford



The synthesis and structures of tantalum complexes that contain a triamido or a diamidoamine ligand 353
R.R. Schrock, J. Lee, L.-C. Liang, W.M. Davis



Hydride complexes of platinum(II) containing unsymmetrical di(phosphine) ligands: synthesis, characterization and evidence for pairwise addition of hydrogen based on parahydrogen induced polarization 363
S.P. Millar, M. Jang, R.J. Lachicotte, R. Eisenberg



Alkyl exchange between aluminum trialkyls and zirconocene dichloride complexes — a measure of electron densities at the Zr center .. 376
S. Beck, H.H. Brintzinger



Model reactions of a carbonylation catalyst: phosphite induced migratory CO insertion in $[MeIr(CO)_2I_3]^-$ 382
A. Haynes, J.M. Pearson, P.W. Vickers, J.P.H. Charmant, P.M. Maitlis



Co–C force constants from resonance Raman spectra of alkylcobalamins: insensitivity to dimethylbenzylimidazole coordination..... 392
S. Dong, R. Padmakumar, R. Banerjee, T.G. Spiro



Preparation of trimethylsilyl alkyne complexes of bis(pentamethylcyclopentadienyl)zirconium, $(\eta^5\text{-}C_5Me_5)_2Zr(RC{\equiv}CSiMe_3)$, and their regioselective reactions with nitrous oxide 399
A.K. List, K. Koo, A.L. Rheingold, G.L. Hillhouse



The propensity of alkoxide and aryloxide derivatives of tungsten carbonyls to aggregate in solution. Synthesis and X-ray structures of dinuclear, trinuclear and tetranuclear complexes derived from the $MeOW(CO)_5^-$ anion 405
D.J. Darensbourg, K.K. Klausmeyer, J.D. Draper, J.A. Chojnacki, J.H. Reibenspies



Extracting absolute titanium–alkyl and –hydride bond enthalpies from relative $D(TiR(H))$ in $(silox)_2(^tBu_3SiNH)TiR$: electronegativity and *ECT* models 414
J.L. Bennett, T.P. Vaid, P.T. Wolczanski



A new macrocyclic tetraamine, 2,4-dinitrophenylcyclen (= 1-(2,4-dinitrophenyl)-1,4,7,10-tetraazacyclododecane): synthesis, cation reporter properties, and recognition of 1-methylthymine by its zinc(II) complex 424
T. Koike, T. Gotoh, S. Aoki, E. Kimura, M. Shiro



Catalysis of aerobic olefin oxidation by a ruthenium perhaloporphyrin complex 433
E.R. Birnbaum, J.A. Labinger, J.E. Bercaw, H.B. Gray



Monovalent copper as a potential catalyst for formation of acetaldehyde via the migration of methyl radicals to the coordinated carbonyl in the complex $(CO)Cu^{II}–CH_3^+$ 440
A. Szulc, D. Meyerstein, H. Cohen



The synthesis of substituted bis[(diarylphosphinomethyl)cyclopentadienyl]zirconocene dichloride complexes for the preparation of heterodimetallic complexes containing early/late transition metal combinations..... 446
B. Bosch, G. Erker, R. Fröhlich



Unique complexation by the tridentate ligands, 6-diphenylphosphino-2-pyridonate (pyphos) and 6-diphenylphosphino-2-pyridone (pyphosH), on ruthenium(II): crystal structures of $(pyphosH)RuCl(\mu\text{-}Cl)Mo_2Cl(pyphos)_3$, $RuCl_2(CO)(pyphosH)_2$, $[Ru(pyphos)_3](\mu\text{-}Na)_2[Ru(pyphos)_3]$ 459
K. Mashima, Y. Kaneda, A. Fukumoto, M. Tanaka, K. Tani, H. Nakano, A. Nakamura



Intramolecular and intermolecular C–H activation at a cationic Pt^{II} center 467
M.W. Holtcamp, L.M. Henling, M.W. Day, J.A. Labinger, J.E. Bercaw



An ab initio MO-LCAO investigation of the electronic structure of organic hydroperoxides and platinum(II) hydroperoxo complexes: a contribution to the knowledge of the mechanism of olefin epoxidation 479
P. Fantucci, S. Lolli, M. Pizzotti, R. Ugo



First- and second-order mechanisms for oxidative addition for bound methyl disulfide in the complex $W(CO)_3(phen)(MeSSMe)$ 488
T.D. Ju, K.B. Capps, G.C. Roper, R.F. Lang, C.D. Hoff



The synthesis of the tripodal phosphine $CH_3C\{CH_2P(m\text{-}CF_3C_6H_4)_2\}_3$ and its rhodium coordination chemistry 499
M. Sülü, L.M. Venanzi, T. Gerfin, V. Gramlich



Nitrogen atom transfer and redox chemistry of terpyridyl phosphoraniminato complexes of osmium (IV) 511
K.D. Demadis, M. Bakir, B.G. Klesczewski, D.S. Williams, P.S. White, T.J. Meyer



Synthesis, characterization, and reactivity of organometallic Zr(IV) carboxylate complexes 527
D.P. Steinhuebel, P. Fuhrmann, S.J. Lippard



A mechanistic study of thermal C–H reductive elimination from a six-coordinate d^6 iridium complex 537
G.P. Rosini, K. Wang, B. Patel, A.S. Goldman



Ferrocenyl-derived face-capping ligands: syntheses and molecular structures of $[(FcTt)Cu]_4$ and $[FcTt]_2M$ (M=Fe, Co, Ni; FcTt$^-$ = ferrocenyltris((methylthio)methyl)borate) 543
P.J. Schebler, C.G. Riordan, L. Liable-Sands, A.L. Rheingold



Notes

Synthesis of rhodium porphyrin aryls via intermolecular arene carbon–hydrogen bond activation ..... 551 X. Zhou, Q. Li, T.C.W. Mak, K.S. Chan	
Bis(η^3-allyl)(η^8-pentalene)zirconium: preparation, structure and structural dynamics ..... 555 B. Gabor, K. Jonas, R. Mynott	
A ferrocene–perfluoroarene molecular complex ..... 559 C.M. Beck, J. Burdeniuc, R.H. Crabtree, A.L. Rheingold, G.P.A. Yap	

Conference Calendar 563

Author Index of Volume 270 567

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request

CONTENTS DIRECT

ContentsDirect, the *free* e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **Contents Direct** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect**. If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk -specifying the title of the publication you wish to register for.